antibodies - online.com







SNAPIN Protein (AA 2-136) (His tag)



Image



\sim	
()\/\	rview
\cup	

Quantity:	1 mg
Target:	SNAPIN
Protein Characteristics:	AA 2-136
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SNAPIN protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)
Product Details	
Sequence:	AAAGSAAVSG AGTPVAGPTG RDLFAEGLLE FLRPAVQQLD SHVHAVRESQ VELREQIDNL
	ATELCRINED QKVALDLDPY VKKLLNARRR VVLVNNILQN AQERLRRLNH SVAKETARRR
	AMLDSGVYPP GSPSK
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	 Mouse Snapin Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	SNAPIN
Alternative Name:	Snapin (SNAPIN Products)
Background:	Component of the BLOC-1 complex, a complex that is required for normal biogenesis of
	lysosome-related organelles (LRO), such as platelet dense granules and melanosomes. In
	concert with the AP-3 complex, the BLOC-1 complex is required to target membrane protein
	cargos into vesicles assembled at cell bodies for delivery into neurites and nerve terminals. The

BLOC-1 complex, in association with SNARE proteins, is also proposed to be involved in neurite
extension. Plays a role in intracellular vesicle trafficking and synaptic vesicle recycling. May
modulate a step between vesicle priming, fusion and calcium-dependent neurotransmitter
release through its ability to potentiate the interaction of synaptotagmin with the SNAREs and
the plasma-membrane-associated protein SNAP25. Its phosphorylation state influences
exocytotic protein interactions and may regulate synaptic vesicle exocytosis. May also have a
role in the mechanisms of SNARE-mediated membrane fusion in non-neuronal cells.
{ECO:0000269 PubMed:16760431, ECO:0000269 PubMed:19546860,
ECO:0000269 PubMed:21998198}.

Molecular Weight:	15.7 kDa Including tag.
UniProt:	Q9Z266
Pathways:	Synaptic Membrane. Synaptic Vesicle Exocytosis

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process