antibodies - online.com







anti-H2AFX antibody (pSer139)

Images



\sim	
()\/\	rview
\cup	

Quantity:	100 μL
Target:	H2AFX
Binding Specificity:	pSer139
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This H2AFX antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA
Product Details	
Immunogen:	Synthesized peptide derived from human Histone H2A.X around the phosphorylation site of \$139.
	3109.
Isotype:	IgG
Specificity:	IgG Phospho-Histone H2A.X (S139) Polyclonal Antibody detects endogenous levels of Histone
Isotype: Specificity: Characteristics: Purification:	lgG Phospho-Histone H2A.X (S139) Polyclonal Antibody detects endogenous levels of Histone H2A.X protein only when phosphorylated at S139.

H2AFX

Target:

Target Details


Alternative Name:	Histone H2A.X (H2AFX Products)
Molecular Weight:	15 kDa
Gene ID:	3014
UniProt:	P16104
Pathways:	Telomere Maintenance, DNA Damage Repair, Positive Regulation of Response to DNA Damage Stimulus

Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:100-1:300, ELISA 1:10000,
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	-20 °C
Storage Comment:	Store at -20°C.



Western Blotting

Image 1.



Western Blotting

Image 2. Western Blot (WB) analysis of specific cells using Phospho-Histone H2A.X (S139) Polyclonal Antibody.