



[Go to Product page](#)

Datasheet for ABIN3184982
anti-HCK antibody (Ser468)

1 Image

1 Publication

Overview

Quantity:	100 µL
Target:	HCK
Binding Specificity:	Ser468
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HCK antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Synthesized peptide derived from human Hck around the non-phosphorylation site of Y410.
Isotype:	IgG
Specificity:	Hck Polyclonal Antibody detects endogenous levels of Hck protein.
Characteristics:	Rabbit Polyclonal to Hck.
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	HCK
Alternative Name:	Hck (HCK Products)

Target Details

Molecular Weight:	65 kDa
Gene ID:	3055
UniProt:	P08631
Pathways:	Activation of Innate immune Response , Cellular Response to Molecule of Bacterial Origin , Regulation of Actin Filament Polymerization , CXCR4-mediated Signaling Events , Thromboxane A2 Receptor Signaling

Application Details


Application Notes:	IHC 1:100-1:300, IF 1:200-1:1000, ELISA 1:5000,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	-20 °C
Storage Comment:	Store at -20°C.

Publications

Product cited in:	Kuai, Luo, Qu, Ru, Luo, Ding, Xing, Liu, Sun, Li, Li: "Transcriptomic Analysis of the Mechanisms for Alleviating Psoriatic Dermatitis Using Taodan Granules in an Imiquimod-Induced Psoriasis-like Mouse Model." in: Frontiers in pharmacology , Vol. 12, pp. 632414, (2021) (PubMed).
-------------------	---



Western Blotting

Image 1.