antibodies .- online.com





anti-RANKL antibody (C-Term)



Images



Go to Product page

_					
U	V	er	VI	е	W

Product Details Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL.			
Binding Specificity: C-Term Reactivity: Human, Mouse, Rat Host: Rabbit Clonality: Polyclonal Conjugate: This RANKL antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (Product Details Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen.	Quantity:	100 μL	
Reactivity: Human, Mouse, Rat Host: Rabbit Clonality: Polyclonal Conjugate: This RANKL antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (Product Details Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen.	Target:	RANKL (TNFSF11)	
Host: Rabbit Clonality: Polyclonal Conjugate: This RANKL antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (Product Details Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen.	Binding Specificity:	C-Term	
Clonality: Polyclonal Conjugate: This RANKL antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (Product Details Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Reactivity:	Human, Mouse, Rat	
Conjugate: This RANKL antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (Product Details Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Host:	Rabbit	
Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (Product Details Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Clonality:	Polyclonal	
Product Details Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Conjugate:	This RANKL antibody is un-conjugated	
Immunogen: Synthesized peptide derived from the C-terminal region of human RANKL. Isotype: IgG RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Isotype: IgG Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Product Details		
Specificity: RANKL Polyclonal Antibody detects endogenous levels of RANKL protein. Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Immunogen:	Synthesized peptide derived from the C-terminal region of human RANKL.	
Characteristics: Rabbit Polyclonal to RANKL. Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Isotype:	IgG	
Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography u epitope-specific immunogen. Target Details	Specificity:	RANKL Polyclonal Antibody detects endogenous levels of RANKL protein.	
epitope-specific immunogen. Target Details	Characteristics:	Rabbit Polyclonal to RANKL.	
	Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.	
Target: RANKL (TNFSF11)	Target Details		
	Target:	RANKL (TNFSF11)	
Alternative Name: RANKL (TNFSF11 Products)	Alternative Name:	RANKL (TNFSF11 Products)	

Target Details

Molecular Weight:	35 kDa
Gene ID:	8600
UniProt:	014788
Pathways:	NF-kappaB Signaling


Application Details

Application Notes:	WB 1:500-1:2000, IHC-P 1:100-1:300, ELISA 1:20000,
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	-20 °C
Storage Comment:	Store at -20°C.

Images




Western Blotting

Image 1.



Immunohistochemistry

Image 2. Immunohistochemistry (IHC) analysis of paraffinembedded Human Lung, antibody was diluted at 1:100.



Immunohistochemistry

Image 3. Immunohistochemistry (IHC) analysis of paraffinembedded Human Lung, antibody was diluted at 1:100.

Please check the product details page for more images. Overall 5 images are available for ABIN3187907.