antibodies -online.com





anti-STING/TMEM173 antibody (C-Term)

2 Images



Go to Product page

Overview

0.00000	
Quantity:	100 μL
Target:	STING/TMEM173 (TMEM173)
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STING/TMEM173 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	Synthesized peptide derived from the C-terminal region of human TMEM173.
Isotype:	IgG
Specificity:	TMEM173 Polyclonal Antibody detects endogenous levels of TMEM173 protein.
Characteristics:	Rabbit Polyclonal to TMEM173.
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using
	epitope-specific immunogen.
Target Details	
Target:	STING/TMEM173 (TMEM173)
Alternative Name:	TMEM173 (TMEM173 Products)

Target Details

Molecular Weight:	42/23 kDa
Gene ID:	340061
UniProt:	Q86WV6
Pathways:	Activation of Innate immune Response


Application Details

Application Notes:	WB 1:500-1:2000, IHC-P 1:100-1:300, ELISA 1:20000,
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	-20 °C
Storage Comment:	Store at -20°C.

Images



Western Blotting
Image 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 2/3 | Product datasheet for ABIN3187979 | 09/11/2023 | Copyright antibodies-online. All rights reserved.



Immunohistochemistry

Image 2. Immunohistochemistry (IHC) analysis of paraffinembedded Human Breast Cancer, antibody was diluted at 1:100.