# antibodies -online.com





## anti-PSMC3IP antibody (AA 143-192)



Image



Go to Product page

( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	PSMC3IP	
Binding Specificity:	AA 143-192	
Reactivity:	Mouse, Human, Dog, Horse, Rabbit, Goat, Monkey	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PSMC3IP antibody is un-conjugated	
Application:	Western Blotting (WB)	

Product Details	
Immunogen:	Synthetic peptide located between aa143-192 of human PSMC3IP (Q9P2W1, NP_057640).  Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Elephant, Dog, Horse (100%), Rat, Bovine, Pig, Guinea pig (92%), Xenopus (90%), Mouse, Goat, Bat, Rabbit, Opossum (85%).
	Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human PSMC3IP
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog (100%) Rat, Bovine (92%) Mouse, Goat, Rabbit (85%).
Purification:	Protein A purified

#### Target Details

Target:	PSMC3IP	
Alternative Name:	PSMC3IP (PSMC3IP Products)	
Background:	Name/Gene ID: PSMC3IP	
	Synonyms: PSMC3IP, DBD-interacting, HOP2, HUMGT198A, GT198, PSMC3-interacting protein, TBP-1-interacting protein, ODG3, PSMC3 interacting protein, TBPIP	
Gene ID:	29893	
NCBI Accession:	NP_057640	
UniProt:	Q9P2W1	

#### **Application Details**

Application Notes:	Approved: WB
	Usage: ELISA titer using peptide based assay: 1:62500. Western Blot: Suggested dilution at 1.25 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be
Comment:	diluted in 1:50000 - 100000 as second antibody.  Target Species of Antibody: Human
Restrictions:	For Research Use only

### Handling

Format:	Lyophilized	
Reconstitution:	Distilled Water.	
Concentration:	Lot specific	
Buffer:	Lyophilized from PBS with 2 % sucrose	
Handling Advice:	Avoid repeat freeze-thaw cycles.	
Storage:	4 °C,-20 °C	
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.	




Image 1.