

Datasheet for ABIN324211
anti-BCL2L1 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	BCL2L1
Binding Specificity:	N-Term
Reactivity:	Human, Pig, Sheep, Dog, Cow, Rabbit, Horse, Hamster, Bat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BCL2L1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human BCL2L1 (Q07817, NP_612815). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Sheep, Dog, Cat, Bovine, Bat, Hamster, Panda, Rabbit, Horse, Pig (100%), Galago, Marmoset, Mouse, Rat, Guinea pig (92%), Elephant (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human BCL2L1 / Bcl-xL
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Sheep, Dog, Bovine, Rabbit, Pig (100%) Mouse, Rat (92%).
Purification:	Protein A purified

Target Details

Target:	BCL2L1
Alternative Name:	BCL2L1 / BCL-XL (BCL2L1 Products)
Background:	Name/Gene ID: BCL2L1 Family: Apoptosis Synonyms: BCL2L1, Apoptosis regulator Bcl-X, Bcl-xL, BCL-XL/S, BCLXS, Bcl-2-like protein 1, BCL2-like 1, BCL2L, Bcl-X, Bcl-xS, BCLXL, PPP1R52, Bcl2-L-1, BCLX
Gene ID:	598
NCBI Accession:	NP_612815
UniProt:	Q07817
Pathways:	Apoptosis , Negative Regulation of intrinsic apoptotic Signaling

Application Details

Application Notes:	Approved: WB Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at 2.5 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Handling

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.