antibodies -online.com





anti-C1D antibody (C-Term)



Image



Overview

Quantity:	100 μg
Target:	C1D
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This C1D antibody is un-conjugated
Application:	ELISA, Western Blotting (WB)

Product Details

Purpose:	C1D
Immunogen:	C-SKNASKVANKGKSKS
Sequence:	SKNASKVANK GKSKS
Isotype:	IgG
Specificity:	Reported variants represent identical protein: NP_006324.1, NP_775269.1.
Cross-Reactivity:	Human
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified

Target Details

Target Details	
Target:	C1D
Alternative Name:	C1D (C1D Products)
Background:	C1D, MGC12261, MGC14659, SUNCOR, C1D DNA-binding protein, small unique nuclear
	receptor corepressor, nuclear DNA-binding protein
Gene ID:	10438
NCBI Accession:	NP_775269
Application Details	
Application Notes:	Western Blot: Approx. 14 kDa band observed in Human Skeletal Muscle lysates (calculated MW
	of 16.0 kDa according to NP_775269.1 and NP_775269.1). Recommended concentration: 0.1-
	0.3 μg/mL.
	Peptide ELISA: antibody detection limit dilution 1:128000.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum
	albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated

at 4°C for a few weeks and still remain viable.




Image 1. ABIN334366 ($0.1\mu g/ml$) staining of Human Skeletal Muscle lysate ($35\mu g$ protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.