

Datasheet for ABIN334522
anti-USP28 antibody (Internal Region)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	USP28
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This USP28 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Purpose:	USP28
Immunogen:	Peptide with sequence C-SVELKHYYIQEDN, from the internal region of the protein sequence according to NP_065937.1.
Sequence:	SVELKHYYIQE DN
Isotype:	IgG
Cross-Reactivity:	Cow, Human
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified

Target Details


Target:	USP28
Alternative Name:	USP28 (USP28 Products)
Background:	USP28, ubiquitin specific peptidase 28, KIAA1515, ubiquitin specific protease 28
Gene ID:	57646
NCBI Accession:	NP_065937

Application Details

Application Notes:	<p>Immunohistochemistry: In paraffin embedded Human Testis shows acrosomal staining in spermatids. Recommended concentration, 2.5-3.8 µg/mL.</p> <p>Western Blot: Preliminary experiments gave bands at approx 150 kDa and 50 kDa in Human Bone Marrow lysates after 0.2 µg/mL antibody staining. Please note that currently we cannot find an explanation in the literature for the bands we observe given the calcu</p> <p>Peptide ELISA: antibody detection limit dilution 1:64000.</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.



Immunohistochemistry

Image 1. ABIN334522 (3.8µg/ml) staining of paraffin embedded Human Testis. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.