

Datasheet for ABIN347393  
**anti-CCDC50 antibody (C-Term)**



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	CCDC50
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCDC50 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Synthetic peptide derived from Cter domain of human CCD50
Isotype:	IgG
Specificity:	Reacts with human 36 kDa CCD50 protein
Cross-Reactivity:	Mouse (Murine), Rat (Rattus)
Cross-Reactivity (Details):	Cross reacts with proteins from mouse, rat and other species due to sequence homology.
Purification:	Antiserum

Target Details

Target:	CCDC50
Alternative Name:	Coiled-Coil Domain-Containing Protein 50 ( <a href="#">CCDC50 Products</a> )

## Application Details

Application Notes: Working dilution: Optimal dilution should be determined by the end user.  
The following are guidelines only :  
- IHC : 1/50 to 1/500 - WB : 1/200 to 1/2 000

Restrictions: For Research Use only

## Handling

Format: Lyophilized

Reconstitution: Must be reconstituted in distilled water.


Storage: 4 °C/-20 °C

Storage Comment: Lyophilized powder stable for a minimum of 2 years at -20°C. Store reconstituted antibodies at +4°C. For extended periods store in aliquots at -20°C. Antibodies are guaranteed for 6 month from date of receipt.

Expiry Date: 24 months


## Images

pab0365 : CCD50  
Coiled-coil domain-containing protein 50/Protein Ymer



Western blots of tissues samples from the GER (lane1), stria vascularis (lane2) and and modiolus (lane3) of the mouse cochlea using pab0365

Image 1.



**Western blot of tissue  
from stria vascularis  
using pab0365**

**Image 2.**