# antibodies -online.com





# anti-MLF1 antibody (N-Term)





### Overview

Overview	
Quantity:	100 μg
Target:	MLF1
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MLF1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	This affinity purified antibody was prepared from whole rabbit serum produced by repeated
	immunizations with a 200 residue recombinant protein corresponding to the amino terminal
	end of human MLF1IP protein.
	Immunogentype:Recombinant
Isotype:	IgG
Characteristics:	Concentration Definition: by UV absorbance at 280 nm
Target Details	
Target:	MLF1
Alternative Name:	MLF1 (MLF1 Products)
Background:	This antibody is designed, produced, and is suitable for Cancer, Immunology and Nuclear

Signaling research. Myeloid leukemia factor-1 (MLF1) Interacting Protein (also known as PBIP1, MLF1IP1, KLIP1 or KSHV latent nuclear antigen interacting protein 1) is a novel polo-like kinase 1 (Plk1) substrate. Plk1 phosphorylation of MLF1IP induces ubiquitination and degradation of MLF1IP prior to the metaphase/anaphase transition. Several Plk1-dependent phosphorylation sites have been identified on MLF1IP by mass spectrometry. Mutations of these sites stabilize MLF1IP and inhibit mitotic progression. Subsequent in vitro and in vivo MLF1IP phosphorylation and stability assays have revealed that phosphorylation of Thr78 is critical for triggering Plk1-dependent MLF1IP degradation. Expression of a non-degradable Thr78Ala mutant was sufficient to induce a mitotic block. Timely phosphorylation of MLF1IP on Thr78 by Plk1 is critical for eliminating the MLF1IP-imposed mitotic block prior to anaphase onset. MLF1IP is speculated to be a novel tumor suppressor, whose function is required for proper sister-chromatid separation. Loss of MLF1IP function may result in improper segregation of chromosomes and genomic instability, thus promoting tumorigenesis. Synonyms: HHV8 LNAIP1 antibody, ICEN24 antibody, Kaposi Sarcoma Herpesvirus latent nuclear antigen interacting protein 1 antibody, KLIP-1 antibody, KLIP1 antibody, KSHV latent nuclear antigen interacting protein 1 antibody

Gene ID: 79682, 38016935

UniProt: Q71F23

#### **Application Details**

Application Notes: This affinity purified antibody has been tested for use in ELISA and western blotting. Specific

conditions for reactivity should be optimized by the end user. Expect a band approximately 65

kDa in size corresponding to MLF1IP protein by western blotting in the appropriate cell lysate or

extract.

0.88 mg/mL

Restrictions: For Research Use only

#### Handling

Concentration:

Format: Liquid

Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Preservative: Sodium azide

Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

should be handled by trained staff only.

Storage:

-20 °C

## **Images**



# **Western Blotting**

Image 1. Western blot using affinity purified anti-MLF1IP / PBIP1 antibody shows detection of endogenous MLF1IP protein (a tier of four modified protein bands indicated by the arrowheads) in lysates of Hela cells (- lane). Cells treated with MLF1IP / PBIP1 shRNA (+ lane) show no staining. The identities of the higher and lower molecular weight bands are unknown. Primary antibody was used at 1:1,000. Personal Communication, K.S. Lee, NCI, Bethesda, MD.