.-online.com antibodies

Datasheet for ABIN349705 anti-CD28 antibody (APC)

2 Images

6 Publications



Overview

Quantity:	100 tests
Target:	CD28
Reactivity:	Human, Non-Human Primate
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD28 antibody is conjugated to APC
Application:	Flow Cytometry (FACS)

Product Details

Immunogen:	DC28.1.3.3 murine T cell hybridoma transfected with human CD28 cDNA
Clone:	CD28-2
Isotype:	lgG1 kappa
Specificity:	The mouse monoclonal antibody CD28.2 recognizes an extracellular epitope of CD28, a disulfide-linked homodimeric type I glycoprotein (monomer of Mw 44 kDa) which is a critical costimulatory receptor of T cells.
Cross-Reactivity (Details):	Human, Non-Human Primates
Purification:	Purified antibody is conjugated with activated allophycocyanin (APC) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN349705 | 01/29/2024 | Copyright antibodies-online. All rights reserved.

Target Details

Target:	CD28	
Alternative Name:	CD28 (CD28 Products)	
Background:	CD28 Molecule,CD28 is the critical T cell costimulatory receptor which provides to the cell the important second activation signal by binding CD80 and CD86 that are expressed by antigen presenting cells. Besides its costimulation role CD28 functions in preventing T cells from anergic hyporesponsive state or from undergoing premature apoptotic cell death. CD28 is also expressed on human fetal NK cells and some NK cell lines, whereas on murine NK cells the CD28 expression is much broader.,TP44	
Gene ID:	940	
UniProt:	P10747	
Pathways:	TCR Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response	

Application Details

Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 μ L reagent / 100 μ L of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Comment:	The purified antibody is conjugated with cross-linked Allophycocyanin (APC) under optimum conditions. The conjugate is purified by size-exclusion chromatography and adjusted for direct use. No reconstitution is necessary.
Restrictions:	For Research Use only

Handling


Reconstitution:	No reconstitution is necessary.	
Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Do not freeze. Avoid prolonged exposure to light.	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN349705 | 01/29/2024 | Copyright antibodies-online. All rights reserved.

	lond	lina
	land	
•		

Storage:	4 °C
Storage Comment:	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.
Publications	
Product cited in:	Jeong, Qiao, Nascimbeni, Hu, Rehermann, Murthy, Liang: "Immunization with hepatitis C virus-
	like particles induces humoral and cellular immune responses in nonhuman primates." in:
	Journal of virology, Vol. 78, Issue 13, pp. 6995-7003, (2004) (PubMed).
	Scharschmidt, Wegener, Heissmeyer, Rao, Krappmann: "Degradation of Bcl10 induced by T-cel
	activation negatively regulates NF-kappa B signaling." in: Molecular and cellular biology, Vol. 2
	, Issue 9, pp. 3860-73, (2004) (PubMed).
	Marti, Krause, Post, Lyddane, Dupont, Sadelain, King: "Negative-feedback regulation of CD28
	costimulation by a novel mitogen-activated protein kinase phosphatase, MKP6." in: Journal of
	immunology (Baltimore, Md. : 1950), Vol. 166, Issue 1, pp. 197-206, (2001) (PubMed).
	Galea-Lauri, Darling, Gan, Krivochtchapov, Kuiper, Gäken, Souberbielle, Farzaneh: "Expression o
	a variant of CD28 on a subpopulation of human NK cells: implications for B7-mediated
	stimulation of NK cells." in: Journal of immunology (Baltimore, Md.: 1950), Vol. 163, Issue 1,
	pp. 62-70, (1999) (PubMed).
	Tazi, Moreau, Bergeron, Dominique, Hance, Soler: "Evidence that Langerhans cells in adult
	pulmonary Langerhans cell histiocytosis are mature dendritic cells: importance of the cytokine
	microenvironment." in: Journal of immunology (Baltimore, Md. : 1950), Vol. 163, Issue 6, pp.
	3511-5, (1999) (PubMed).
	There are more publications referencing this product on: Product page

Images



Flow Cytometry

Image 1. Surface staining of human peripheral blood leukocytes with anti-human CD28 (CD28.2) purified.

Flow Cytometry

Image 2. Surface staining of human peripheral blood leukocytes with anti-human CD28 (CD28.2) APC.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN349705 | 01/29/2024 | Copyright antibodies-online. All rights reserved.