

Datasheet for ABIN350661 **anti-OMP antibody**



[Go to Product page](#)

Overview

Quantity:	500 µg
Target:	OMP
Reactivity:	Rat
Host:	Chicken
Clonality:	Polyclonal
Conjugate:	This OMP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Purpose:	Chicken antibody to rat mouse OMP
Immunogen:	A synthetic peptide from rat Olfactory Marker Protein (OMP) conjugated to blue carrier protein has been used as the antigen.
Isotype:	IgY
Specificity:	Highly specific for mature olfactory neurons (including axon and terminals).
Cross-Reactivity:	Mouse, Rat
Cross-Reactivity (Details):	Other species have not yet been tested.
Purification:	Purified IgY

Target Details

Target:	OMP
---------	-----

Target Details

Alternative Name:	OMP (OMP Products)
Background:	Olfactory marker protein (OMP) is an abundant 19- kDa cytosolic protein that is almost exclusively expressed in mature functioning olfactory neurons but not in the neural precursor basal cells. The OMP gene structure and protein sequence are highly conserved between mouse rat and human. Its tissue-specific expression in the receptor cells together with the results of the mouse knockout studies show that OMP represents a novel modulatory component of the odor detection/signal transduction cascade. FUNCTION: May act as a modulator of the olfactory signal-transduction cascade. SUBUNIT: Interacts with BEX1 and BEX2. SUBCELLULAR LOCATION: Cytoplasm. TISSUE SPECIFICITY: Uniquely associated with mature olfactory receptor neurons. SIMILARITY: Belongs to the olfactory marker protein family.
UniProt:	P08523

Application Details

Application Notes:	IHC WB. A working concentration of 10-50 µg/ml is recommended. The optimal dilution should be determined by the end user. For IHC Zamboni's, 4 % PFA fixatives are recommended.
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Reconstitute in 500 µL of sterile water. Centrifuge to remove any insoluble material.
Handling Advice:	Avoid freeze and thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Maintain the lyophilised/reconstituted antibodies frozen at -20C for long term storage and refrigerated at 2-8C for a shorter term. When reconstituting glycerol (1:1) may be added for an additional stability. Avoid freeze and thaw cycles.
Expiry Date:	12 months