

Datasheet for ABIN350662

anti-OMP antibody



Overview

Quantity:	500 μg
Target:	OMP
Reactivity:	Rat
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This OMP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Target Details

Target:

OMP

Purpose:	Goat antibody to OMP
Immunogen:	A synthetic peptide from rat Olfactory Marker Protein (OMP) conjugated to blue carrier protein has been used as the antigen. The peptide is homologous in mouse.
Isotype:	IgG
Specificity:	Highly specific for mature olfactory neurons (including axon and terminals).
Cross-Reactivity:	Mouse, Rat
Cross-Reactivity (Details):	Other species have not yet been tested.
Purification:	IgG

Target Details

. a. got 2 otalio	
Alternative Name:	OMP (OMP Products)
Background:	Olfactory marker protein (OMP) is an abundant 19- kDa cytosolic protein that is almost
	exclusively expressed in mature functioning olfactory neurons but not in the neural precursor
	basal cells. The OMP gene structure and protein sequence are highly conserved between
	mouse rat and human. Its tissue-specific expression in the receptor cells together with the
	results of the mouse knockout studies show that OMP represents a novel modulatory
	component of the odor detection/signal transduction cascade. FUNCTION: May act as a
	modulator of the olfactory signal-transduction cascade. SUBUNIT: Interacts with BEX1 and
	BEX2. SUBCELLULAR LOCATION: Cytoplasm. TISSUE SPECIFICITY: Uniquely associated with
	mature olfactory receptor neurons. SIMILARITY: Belongs to the olfactory marker protein family
UniProt:	P08523
Application Details	
Application Notes:	IHC WB. Use at a concentration of 10-50 μ g,ml. The optimal dilution should be determined by
	the end user. For IHC Zamboni's,4 % PFA fixatives are recommended.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitute in 500 µL of sterile water. Centrifuge to remove any insoluble material.
Handling Advice:	Avoid freeze and thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain the lyophilised/reconstituted antibodies frozen at -20C for long term storage and
	refrigerated at 2-8C for a shorter term. When reconstituting glycerol (1:1) may be added for an
	additional stability. Avoid freeze and thaw cycles.
Expiry Date:	12 months