antibodies -online.com





Datasheet for ABIN350838

anti-SRCIN1 antibody



Overview		
Quantity:	500 μg	
Target:	SRCIN1	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SRCIN1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Immunogen:	A synthetic peptide from human SNIP conjugated to blue carrier protein was used as the antigen. The peptide is homologous in rat and mouse.	
Isotype:	IgG	
Specificity:	Specific for SNIP.	
Cross-Reactivity:	Human, Marmoset, Mouse, Rat	
Cross-Reactivity (Details):	Other species not yet tested.	
Purification:	IgG	
Target Details		
Target:	SRCIN1	
Alternative Name:	SNIP (SRCIN1 Products)	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 1/2 | Product datasheet for ABIN350838 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

Target Details

•		
Background:	FUNCTION: Delays the onset of cell spreading in the early stages of cell adhesion to fibronectin. Also involved in calcium-dependent exocytosis from PC12 cells. SUBUNIT: Interacts with the N-terminal coiled-coil region of SNAP25. Interacts with BCAR1/p130Cas through its C-terminal domain. SUBCELLULAR LOCATION: Cytoplasm. Cytoplasm, cytoskeleton. Note: Localized to the perinuclear region, lamellopodia, cortical actin and actin stress fibers but not to focal adhesions.,SNAP & SNARES,p130 Cas associated protein, p140 Cap, SNAP 25 interacting protein, P140	
UniProt:	Q9C0H9	
Application Details		
Application Notes:	IHC, WB. A concentration of 10-50 μg,ml is recommended. The optimal concentration should be determined by the end user. Not yet tested in other applications.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Reconstitute in 500 µL of sterile water. Centrifuge to remove any insoluble material.	
Handling Advice:	Avoid freeze and thaw cycles.	
Storage:	4 °C/-20 °C	
Storage Comment:	Maintain the lyophilised/reconstituted antibodies frozen at -20°C for long term storage and refrigerated at 2-8°C for a shorter term. When reconstituting, glycerol (1:1) may be added for an additional stability. Avoid freeze and thaw cycles.	
Expiry Date:	12 months	