.-online.com antibodies

## Datasheet for ABIN350941 anti-Syntaxin 7 antibody



Overview	
Quantity:	500 µg
Target:	Syntaxin 7 (STX7)
Reactivity:	Mouse
Host:	Sheep
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	A synthetic peptide from mouse Syntaxin-7 (STX7, Syn7, Syntaxin 7) conjugated to an
	immunogenic carrier protein was used as the antigen.
lsotype:	lgG
Specificity:	Specific for Syntaxin-7.
Cross-Reactivity:	Mouse, Rat
Cross-Reactivity (Details):	Other species not yet tested.
Purification:	lgG
Target Details	
Target:	Syntaxin 7 (STX7)
Alternative Name:	Syntaxin 7 (STX7 Products)
Background:	FUNCTION: May be involved in protein trafficking from the plasma membrane to the early

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN350941 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

	endosome (EE) as well as in homotypic fusion of endocytic organelles. Mediates the endocytic trafficking from early endosomes to late endosomes and lysosomes. SUBUNIT: Forms a SNARE complex with VTI1B, STX8 and VAMP8 which functions in the homotypic fusion of late endosomes. Interacts with VPS33A. Found in a complex with VAMP8 and VTI1B in the liver.
	Part of the SNARE core complex containing VAMP8, STX8 and VTI1B. Interacts with VPS11,
	VPS16 and VPS18. SUBCELLULAR LOCATION: Early endosome membrane, Single-pass type IV
	membrane protein.,Syntaxin Family,Syntaxin-7, STX7, Syn7
UniProt:	070257
Pathways:	Synaptic Vesicle Exocytosis
Application Details	
Application Notes:	IHC, WB. A concentration of 10-50 $\mu$ g,ml is recommended. The optimal concentration should be
	determined by the end user. Not yet tested in other applications.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Reconstitute in 500 $\mu$ L of sterile water. Centrifuge to remove any insoluble material.
Handling Advice:	Avoid freeze and thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Maintain the lyophilised/reconstituted antibodies frozen at -20°C for long term storage and
	refrigerated at 2-8°C for a shorter term. When reconstituting, glycerol (1:1) may be added for an
	additional stability. Avoid freeze and thaw cycles.
Expiry Date:	12 months