

# Datasheet for ABIN356205 anti-CD5 antibody (PE)

# 1 Image



## Go to Product page

$\sim$			
( )\	<b>/</b> e	rVI	iew

Quantity:	0.1 mg	
Target:	CD5	
Reactivity:	Mouse	
Host:	Rat	
Clonality:	Monoclonal	
Conjugate:	This CD5 antibody is conjugated to PE	
Application:	Flow Cytometry (FACS), Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (Frozen Sections) (IHC (fro)), Functional Studies (Func)	
D   1   D   1		

#### **Product Details**

Clone:	4H8E6	
Isotype:	lgG2a	
Specificity:	This antibody is specific to CD5/Lyt-1 (Mr. 67 kDa)	
Characteristics:	Synonyms: Lymphocyte antigen T1/Leu-1, LEU1, T-cell surface glycoprotein CD5	

# Target Details

Target:	CD5
Alternative Name:	CD5 (CD5 Products)
Background:	CD5/Lyt-1 antigen is a monomeric type I transmembrane glycoprotein expressed on thymocytes, T lymphocytes, and a subset of B lymphocytes, but not on natural killer (NK) cells. (Ref.1-3) It has been identified as the major ligand of the B-cell antigen CD72. (Ref.4,5) The

frequency of CD5+ B cells exhibits strain-dependent variation, and the phenotypic, anatomical, functional, developmental, and pathological characteristics of the CD5+ B cells suggest that they may represent a distinct lineage, known as B-1 cells (reviewed in Ref.6). Binding of CD5 on the T cell surface can augment alloantigen- or mitogen-induced lymphocyte proliferation and induces increased cytosolic free calcium, IL-2 secretion, and IL-2R expression. (Ref.7-12) It has been proposed that CD5 negatively regulates signal transduction mediated by the T-cell and B-cell receptors. (Ref.13,14)Synonyms: CD5, LEU1, Lymphocyte antigen T1/Leu-1, T-cell surface glycoprotein CD5

Gene ID:

12507

UniProt:

P13379

## **Application Details**

Application Notes:

Flow Cytometry: Identification and enumeration of CD5+ cells (<  $/ = 0.2 \mu g/10^6$  cells).

(Ref.15)Immunoprecipitation. (Ref.15)Immunohistochemistry on Frozen Sections. (Ref.15)T

Cell Activation. (Ref.15) Western blotting. (Ref.15)

Other applications not tested.


Optimal dilutions are dependent on conditions and should be determined by the user.

Restrictions:

For Research Use only

#### Handling

Concentration:	0.1 mg/mL	
Buffer:	PBS containing 0.09 % Sodium Azide as preservative and a stabilizing agent.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C	
Storage Comment:	Store the antibody undiluted at 2-8 °C. DO NOT FREEZE! This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing.  Shelf life: one year from despatch.	
Expiry Date:	12 months	



# Flow Cytometry

Image 1.