## antibodies - online.com







## anti-CDH10 antibody (N-Term)

**Images** 



$\sim$	
( )\/\Di	view
	VICVV

Quantity:	0.4 mL
Target:	CDH10
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDH10 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide selected from the N-terminal region of human CDH10.
Isotype:	lg Fraction
Specificity:	This antibody detects Cadherin 10 (CDH10) at N-term.
Purification:	Prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

## Target Details

Target:	CDH10
Alternative Name:	Cadherin-10 (CDH10 Products)

Then the antibody is purified by peptide affinity purification.

## **Target Details**

Background:	CDH10 is a type II classical cadherin from the cadherin superfamily, integral membrane
	proteins that mediate calcium-dependent cell-cell adhesion. Mature cadherin proteins are
	composed of a large N-terminal extracellular domain, a single membrane-spanning domain,
	and a small, highly conserved C-terminal cytoplasmic domain. The extracellular domain
	consists of 5 subdomains, each containing a cadherin motif, and appears to determine the
	specificity of the protein's homophilic cell adhesion activity. Type II (atypical) cadherins are
	defined based on their lack of a HAV cell adhesion recognition sequence specific to type I
	cadherins. This particular cadherin is predominantly expressed in brain and is putatively
	involved in synaptic adhesions, axon outgrowth and guidance. Synonyms: CDH10, T2-Cadherin
Molecular Weight:	88321 Da
Gene ID:	1008, 9606
UniProt:	Q9Y6N8
Pathways:	Cell-Cell Junction Organization
Application Details	
Application Notes:	ELISA 1: 1,000. Western blot 1: 50 - 1: 100. Immunohistochemistry 1: 10 - 1: 50.
	Other applications not tested.
	Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody at 2 - 8 °C up to one month or (in aliquots) at -20 °C for longer.




Image 1.




Image 2.