

Datasheet for ABIN357558

anti-USP22 antibody (N-Term)





Go to Product page

_				
()	ve.	rv/	101	Λ

o ver view	
Quantity:	0.4 mL
Target:	USP22
Binding Specificity:	N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This USP22 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide
	selected from the N-terminal region of human USP22.
Isotype:	Ig Fraction
Specificity:	This antibody is specific to USP22 (N-term).
Purification:	Protein G Chromatography, eluted with high and low pH buffers and neutralized immediately,
	followed by dialysis against PBS.
Target Details	
Target:	USP22
Alternative Name:	USP22 (USP22 Products)

Target Details

Background:

Modification of target proteins by ubiquitin participates in a wide array of biological functions. Proteins destined for degradation or processing via the 26 S proteasome are coupled to multiple copies of ubiquitin. However, attachment of ubiquitin or ubiquitin-related molecules may also result in changes in subcellular distribution or modification of protein activity. An additional level of ubiquitin regulation, deubiquitination, is catalyzed by proteases called deubiquitinating enzymes, which fall into four distinct families. Ubiquitin C-terminal hydrolases, ubiquitin-specific processing proteases (USPs),1 OTU-domain ubiquitin-aldehyde-binding proteins, and Jab1/Pad1/MPN-domain-containing metallo-enzymes. Among these four families, USPs represent the most widespread and represented deubiquitinating enzymes across evolution. USPs tend to release ubiquitin from a conjugated protein. They display similar catalytic domains containing conserved Cys and His boxes but divergent N-terminal and occasionally C-terminal extensions, which are thought to function in substrate recognition, subcellular localization, and protein-protein interactions. Synonyms: Deubiquitinating enzyme 22, KIAA1063, USP3L, Ubiquitin carboxyl-terminal hydrolase 22, Ubiquitin thioesterase 22, Ubiquitin-specific-processing protease 22

Molecular Weight:	59961 Da
Gene ID:	23326, 9606
UniProt:	Q9UPT9

Application Details

Λω	nliaati	on Notes	
AII	DIICAN	DIT NOTES	

ELISA: 1/1,000. Western Blot: 1/100-1/500.

Other applications not tested.

Optimal dilutions are dependent on conditions and should be determined by the user.

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) Sodium Azide as preservative.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling

Handling Advice:	Avoid repeated freezing and thawing.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.	

Images




Image 1.