

Datasheet for ABIN357840 anti-DEAF1 antibody (C-Term)

1 Image



Go to Product page

Overview	
Quantity:	0.4 mL
Target:	DEAF1
Binding Specificity:	C-Term
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DEAF1 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide
	selected from the C-terminal region of mouse DEAF1.
Isotype:	Ig Fraction
Specificity:	This antibody detects Deaf1 (C-term). Predicted to cross react with Mouse (100 % Antigen
	Homology).
Purification:	Protein A Chromatography followed by peptide affinity purification.
Target Details	
Target:	DEAF1
Alternative Name:	DEAF1 (DEAF1 Products)

Target Details

rarget betails	
Background:	Drosophila Deformed epidermal autoregulatory factor 1 (DEAF-1) is a DNA-binding protein that interacts with regulatory sequences first described in the Deformed epidermal autoregulatory element. Synonyms: Deformed epidermal autoregulatory factor 1 homolog, NUDR, Nuclear DEAF-1-related transcriptional regulator, SPN, Suppressin, ZMYND5, Zinc finger MYND domain containing protein 5
Molecular Weight:	59633 Da
Gene ID:	54006, 10090
UniProt:	Q9Z1T5
Pathways:	Tube Formation
Application Details	
Application Notes:	ELISA: 1/1,000. Western blot: 1/50-1/100. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) Sodium Azide as preservative.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.




Image 1.