

Datasheet for ABIN358090
anti-BIK antibody (pThr33)

2 Images



[Go to Product page](#)

Overview

Quantity:	0.4 mL
Target:	BIK
Binding Specificity:	pThr33
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BIK antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding T33 of human Bik.
Isotype:	Ig Fraction
Specificity:	This antibody detects BIK pThr33.
Cross-Reactivity (Details):	Species reactivity (tested):Human.
Purification:	Protein G Affinity Chromatography. Then, the antibody fraction is peptide affinity purified in a 2-step procedure with control and phosphorylated peptides. The phospho-specific antibody is eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS.

Target Details

Target:	BIK
Alternative Name:	BIK (BIK Products)
Background:	The protein encoded by this gene is known to interact with cellular and viral survival-promoting proteins, such as BCL2 and the Epstein-Barr virus in order to enhance programmed cell death. Because its activity is suppressed in the presence of survival-promoting proteins, this protein is suggested as a likely target for antiapoptotic proteins. This protein shares a critical BH3 domain with other death-promoting proteins, BAX and BAK. Synonyms: Apoptosis inducer NBK, BIP1, BP4, Bcl-2-interacting killer, NBK
Molecular Weight:	18016 Da
Gene ID:	638, 9606
UniProt:	Q13323
Pathways:	Positive Regulation of Endopeptidase Activity

Application Details

Application Notes:	ELISA: 1/1,000. Western Blot: 1/100-1/500. Immunohistochemistry: 1/50-1/100. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) Sodium Azide as preservative.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.




Image 1.




Image 2.