antibodies -online.com





anti-HSC70 Interacting Protein HIP antibody (N-Term)





Go to Product page

\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

Overview		
Quantity:	0.4 mL	
Target:	HSC70 Interacting Protein HIP (ST13)	
Binding Specificity:	N-Term	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HSC70 Interacting Protein HIP antibody is un-conjugated	
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide	
	selected from the N-terminal region of human ST13.	
Isotype:	lg Fraction	
Specificity:	This antibody reacts to HSC70 Interacting Protein HIP (ST13).	
Purification:	Protein G column, eluted with high and low pH buffers and neutralized immediately, followed by	
	dialysis against PBS	
Target Details		
Target:	HSC70 Interacting Protein HIP (ST13)	
Alternative Name:	ST13 / HIP (ST13 Products)	

Target Details

. d. got 2 otalio		
Background:	ST13 is an adaptor protein that mediates the association of the heat shock proteins HSP70 and HSP90. This protein has been shown to be involved in the assembly process of glucocorticoid receptor, which requires the assistance of multiple molecular chaperones. The expression of this protein is reported to be downregulated in colorectal carcinoma tissue suggesting that is a candidate tumor suppressor. Synonyms: FAM10A1, Hsc70-interacting protein, NY-REN-33, Progesterone receptor-associated p48 protein, Putative tumor suppressor ST13, SNC6, Suppression of tumorigenicity 13 protein	
Gene ID:	6767, 9606	
UniProt:	P50502	
Application Details		
Application Notes:	ELISA: 1/1,000. Western blotting: 1/100 - 1/500. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.25 mg/mL	
Buffer:	PBS with 0.09 % (W/V) sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freezing and thawing.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.	




Image 1.




Image 2.