antibodies - online.com







anti-ZBTB7B antibody (Middle Region)

Images




\sim			
	IV/E	۱/۱۲	$I \cap V$

Overview		
Quantity:	0.4 mL	
Target:	ZBTB7B	
Binding Specificity:	Middle Region	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ZBTB7B antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide selected from the center region of human ZBTB7B.	
Isotype:	lg Fraction	
Specificity:	This antibody reacts to ZBTB7B.	
Purification:	Protein A column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS	
Target Details		
Target:	ZBTB7B	

Target:	ZBTB7B	
Alternative Name:	ZBTB7B (ZBTB7B Products)	


Target Details

its absence causes CD8 commitment. Development of immature T-cell precursors (thymocytes) to either the CD4 helper or CD8 killer T-cell lineages correlates precisely with T-cell receptor specificity for major histocompatibility complex class II or class I molecules respectively. ZBTB7B is a transcriptional repressor of the collagen COL1A1 and COL1A2 get It may also function as a repressor of fibronectin and possibly other extracellular matrix genes. Synonyms: T-helper-inducing POZ/Krueppel-like factor, Th-POK, Thpok, ZBT-15, ZBT ZFP67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB domain-containing protein 7B, Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: 51043, 9606 UniProt: 015156 Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide			
its absence causes CD8 commitment. Development of immature T-cell precursors ((hymocytes) to either the CD4 helper or CD8 killer T-cell lineages correlates precisely with T-cell receptor specificity for major histocompatibility complex class II or class I molecules respectively. ZBTB7B is a transcriptional repressor of the collagen COL1A1 and COL1A2 ge It may also function as a repressor of fibronectin and possibly other extracellular matrix genes.Synonyms: T-helper-inducing POZ/Krueppel-like factor, Th-POK, Thpok, ZBT-15, ZBT ZEP67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB dom containing protein 7B, Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: \$1043, 9606 UniProt: 015166 Application Details Application Notes: ELISA: 171,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Preservative: Sodium azide This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 *C/-20 *C	Background:	ZBTB7B is a transcription regulator that acts as a key regulator of lineage commitment of	
(thymocytes) to either the CD4 helper or CD8 killer T-cell lineages correlates precisely with T-cell receptor specificity for major histocompatibility complex class II or class I molecules respectively. ZBTB7B is a transcriptional repressor of the collagen COL1A1 and COL1A2 get It may also function as a repressor of fibronectin and possibly other extracellular matrix genes. Synonyms: T-helper-inducing POZ/Krueppel-like factor, Th-POK, Thpok, ZBT-15, ZBT ZFP67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB domacontaining protein 78. Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: \$1043,9606 UniProt: 015156 Application Detailis Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: A void repeated freezing and thawing.		immature T-cell precursors. It is necessary and sufficient for commitment of CD4 lineage, while	
T-cell receptor specificity for major histocompatibility complex class II or class I molecules respectively. ZBTB7B is a transcriptional repressor of the collagen COL1A1 and COL1A2 ge It may also function as a repressor of fibronectin and possibly other extracellular matrix genes. Synonyms: T-helper-inducing POZ/Krueppel-like factor, Th-POK, Thpok, ZBT-15, ZBT ZFP67, Zfp-67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB dom containing protein 7B, Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: 51043, 9606 UniProt: 015156 Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing.		its absence causes CD8 commitment. Development of immature T-cell precursors	
respectively. ZBTB7B is a transcriptional repressor of the collagen COL1A1 and COL1A2 ge lit may also function as a repressor of fibronectin and possibly other extracellular matrix genes. Synonyms: T-helper-inducing POZ/Krueppel-like factor, Th-POK, Thpok, ZBT-15, ZBT ZFP67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB dom containing protein 7B, Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: \$1043, 9606 UniProt: O15156 Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Preservative: Sodium azide This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 *C/-20 *C		(thymocytes) to either the CD4 helper or CD8 killer T-cell lineages correlates precisely with their	
It may also function as a repressor of fibronectin and possibly other extracellular matrix genes. Synonyms: T-helper-inducing POZ/Krueppel-like factor, Th-POK, Thpok, ZBT-15, ZBT ZFP67, Zfp-67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB domain-containing protein 178, Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: 51043, 9606 UniProt: 015156 Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C		T-cell receptor specificity for major histocompatibility complex class II or class I molecules,	
genes. Synonyms: T-helper-inducing POZ/Krueppel-like factor, Th-POK, Thpok, ZBT-15, ZBT ZFP67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB dom containing protein 7B, Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: 51043, 9606 UniProt: O15156 Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 *C/-20 *C		respectively. ZBTB7B is a transcriptional repressor of the collagen COL1A1 and COL1A2 genes.	
ZFP67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB dom containing protein 7B, Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: 51043, 9606 UniProt: 015156 Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C		It may also function as a repressor of fibronectin and possibly other extracellular matrix	
containing protein 7B, Zinc finger protein 67 homolog, c-Krox, cKrox Gene ID: 51043, 9606 UniProt: 015156 Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C		genes.Synonyms: T-helper-inducing POZ/Krueppel-like factor, Th-POK, Thpok, ZBT-15, ZBTB15,	
Gene ID: 51043, 9606 UniProt: 015156 Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C		ZFP67, Zfp-67, Zinc finger and BTB domain-containing protein 15, Zinc finger and BTB domain-	
UniProt: Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C		containing protein 7B, Zinc finger protein 67 homolog, c-Krox, cKrox	
Application Details Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Gene ID:	51043, 9606	
Application Notes: ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	UniProt:	015156	
Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Application Details		
Optimal dilutions are dependent on conditions and should be determined by the user. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Application Notes:	ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/50.	
Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C		Other applications not tested.	
Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C		Optimal dilutions are dependent on conditions and should be determined by the user.	
Format: Liquid Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Restrictions:	For Research Use only	
Concentration: 0.25 mg/mL Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Handling		
Buffer: PBS with 0.09 % (W/V) sodium azide Preservative: Sodium azide Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Format:	Liquid	
Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Concentration:	0.25 mg/mL	
Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Buffer:	PBS with 0.09 % (W/V) sodium azide	
should be handled by trained staff only. Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Preservative:	Sodium azide	
Handling Advice: Avoid repeated freezing and thawing. Storage: 4 °C/-20 °C	Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
Storage: 4 °C/-20 °C		should be handled by trained staff only.	
	Handling Advice:	Avoid repeated freezing and thawing.	
Storage Comment: Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.	Storage:	4 °C/-20 °C	
	Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.	



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin-embedded human hepatocarcinoma tissue reacted with ZBTB7B antibody (Center), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining.



Western Blotting

Image 2. Western blot analysis of ZBTB7B Antibody (Center) Pab in mouse brain tissue lysates (35ug/lane). ZBTB7B (arrow) was detected using the purified Pab (1:60 dilution).