
antibodies -online.com





anti-CYP2W1 antibody (N-Term)

2 Images



Go to Product page

\sim			
	N/6	1//r	$I \cap V$

Quantity:	0.4 mL	
Target:	CYP2W1	
Binding Specificity:	N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CYP2W1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide selected from the N-terminal region of human CYP2W1.	
Isotype:	lg Fraction	
Specificity:	This antibody reacts to CYP2W1.	
Purification:	Prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS	
Target Details		
Target:	CYP2W1	
Alternative Name:	CYP2W1 (CYP2W1 Products)	

Target Details

Storage Comment:

. a. get 2 etalie		
Background:	CYP2W1 is a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. Synonyms: CYPIIW1, Cytochrome P450 2W1	
Gene ID:	54905, 9606	
UniProt:	Q8TAV3	
Application Details		
Application Notes:	ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/10 - 1/50. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.25 mg/mL	
Buffer:	PBS with 0.09 % (W/V) sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freezing and thawing.	
Storage:	4 °C/-20 °C	

Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.




Image 1.




Image 2.