

## Datasheet for ABIN360447 anti-PIK3CB antibody (C-Term)

## 2 Images



Go to Product page

$\sim$				
( )	Ive	r\ /	$\cap$	Λ.
$\cup$	$\lor \subset$	I V I	$\Box$	٧V

Overview		
Quantity:	0.4 mL	
Target:	PIK3CB	
Binding Specificity:	C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PIK3CB antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide selected from the C-terminal region of human PI3KCB.	
Isotype:	lg Fraction	
Specificity:	This antibody reacts to PI3KCB.	
Purification:	Protein G column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS	
Target Details		
Target:	PIK3CB	
Alternative Name:	PIK3CB / PIK3C1 (PIK3CB Products)	

## Target Details

Background:	Protein kinases are enzymes that transfer a phosphate group from a phosphate donor,	
	generally the g phosphate of ATP, onto an acceptor amino acid in a substrate protein. By this	
	basic mechanism, protein kinases mediate most of the signal transduction in eukaryotic cells,	
	regulating cellular metabolism, transcription, cell cycle progression, cytoskeletal rearrangement	
	and cell movement, apoptosis, and differentiation. With more than 500 gene products, the	
	protein kinase family is one of the largest families of proteins in eukaryotes. The family has	
	been classified in 8 major groups based on sequence comparison of their tyrosine (PTK) or	
	serine/threonine (STK) kinase catalytic domains.Synonyms: 5-bisphosphate 3-kinase 110 kDa	
	catalytic subunit beta, 5-bisphosphate 3-kinase catalytic subunit beta isoform, PI3K-beta,	
	Phosphatidylinositol-4, Ptdlns-3-kinase subunit beta, Ptdlns-3-kinase subunit p110-beta	
Gene ID:	5291, 9606	
UniProt:	P42338	
Application Details		
Application Notes:	ELISA: 1/1,000. Western blotting: 1/100 - 1/500. Immunohistochemistry: 1/10 - 1/50. Flow	
	cytometry.	
	Other applications not tested.	
	Optimal dilutions are dependent on conditions and should be determined by the user.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.25 mg/mL	
Buffer:	PBS with 0.09 % (W/V) sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Handling Advice:	Avoid repeated freezing and thawing.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.	




Image 1.




Image 2.