antibodies -online.com





anti-PIK3R2 antibody (Tyr467)

2 Images



Overview

Overview	
Quantity:	0.4 mL
Target:	PIK3R2 (PI3K p85b)
Binding Specificity:	Tyr467
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PIK3R2 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	This antibody is generated from rabbits immunized with a peptide corresponding to amino acid residues surrounding Y467 of human PIK3R2.
Isotype:	Ig Fraction
Specificity:	This antibody reacts to PIK3R2.
Purification:	Protein A column, followed by peptide affinity purification
Target Details	
Target:	PIK3R2 (PI3K p85b)
Alternative Name:	PIK3R2 (PI3K p85b Products)
Background:	Protein kinases are enzymes that transfer a phosphate group from a phosphate donor,

	generally the g phosphate of ATP, onto an acceptor amino acid in a substrate protein. By this
	basic mechanism, protein kinases mediate most of the signal transduction in eukaryotic cells,
	regulating cellular metabolism, transcription, cell cycle progression, cytoskeletal rearrangement
	and cell movement, apoptosis, and differentiation. The family has been classified in 8 major
	groups based on sequence comparison of their tyrosine (PTK) or serine/threonine (STK) kinase
	catalytic domains.PIK3R2 binds to activated Protein Tyrosine Kinases, which are
	phosphorylated, through its SH2 domain, and acts as an adaptor, mediating the association of
	the P110 catalytic unit to the plasma membrane. Synonyms: PI 3 Kinase p85 beta, PI3-kinase
	regulatory subunit beta, PI3K regulatory subunit beta, Phosphatidylinositol 3-kinase 85 kDa
	regulatory subunit beta, Phosphatidylinositol 3-kinase regulatory subunit beta
Gene ID:	5296, 9606
UniProt:	000459
Pathways:	VEGF Signaling, BCR Signaling

ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/10 - 1/50.

Optimal dilutions are dependent on conditions and should be determined by the user.

Application Details

Application Notes:

Restrictions:

Handling		
Format:	Liquid	
Concentration:	0.25 mg/mL	
Buffer:	PBS with 0.09 % (W/V) sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freezing and thawing.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.	

Other applications not tested.

For Research Use only




Image 1.




Image 2.