# antibodies -online.com





# anti-PIP4K2C antibody (C-Term)

2 Images



Go to Product page

#### Overview

Quantity:	0.4 mL
Target:	PIP4K2C
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PIP4K2C antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide

Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide selected from the C-terminal region of human PIP5K2G.
Isotype:	Ig Fraction
Specificity:	This antibody reacts to PIP5K2G.
Purification:	Protein G column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS

## **Target Details**

Target:	PIP4K2C
Alternative Name:	PIP4K2C / PIP5K2C (PIP4K2C Products)

## Target Details

Background:	Protein kinases are enzymes that transfer a phosphate group from a phosphate donor,
	generally the g phosphate of ATP, onto an acceptor amino acid in a substrate protein. By this
	basic mechanism, protein kinases mediate most of the signal transduction in eukaryotic cells,
	regulating cellular metabolism, transcription, cell cycle progression, cytoskeletal rearrangement
	and cell movement, apoptosis, and differentiation. With more than 500 gene products, the
	protein kinase family is one of the largest families of proteins in eukaryotes. The family has
	been classified in 8 major groups based on sequence comparison of their tyrosine (PTK) or
	serine/threonine (STK) kinase catalytic domains.Synonyms: PI(5)P 4-kinase type II gamma,
	PIP4KII-gamma, Phosphatidylinositol-5-phosphate 4-kinase type-2 gamma
Gene ID:	79837, 9606
UniProt:	Q8TBX8
Pathways:	Inositol Metabolic Process
Application Details	
Application Notes:	ELISA: 1/1,000. Western blotting: 1/100 - 1/500. Immunohistochemistry: 1/50 - 1/100.
	Other applications not tested.
	Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.




Image 1.




Image 2.