antibodies -online.com







anti-DGKZ antibody (C-Term)

Images



O	:
1 1\/\pir	view
\circ	V I C V V

Overview	
Quantity:	0.4 mL
Target:	DGKZ
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DGKZ antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide selected from the C-terminal region of human DGKZ.
Isotype:	Ig Fraction
Specificity:	This antibody reacts to DGKZ.

Target Details

Purification:

Target:	DGKZ	
Alternative Name:	DAG Kinase zeta (DGKZ Products)	

dialysis against PBS

Protein G column, eluted with high and low pH buffers and neutralized immediately, followed by

Target Details

rarget betails	
Background:	DGKZ belongs to the eukaryotic diacylglycerol kinase family. It may attenuate protein kinase C activity by regulating diacylglycerol levels in intracellularsignaling cascade and signal transduction. Synonyms: DAGK6, DGK-zeta, DGKZ, Diacylglycerol kinase zeta, Diglyceride kinase zeta
Gene ID:	8525, 9606
UniProt:	Q13574
Pathways:	Myometrial Relaxation and Contraction
Application Details	
Application Notes:	ELISA: 1/1,000. Western blotting: 1/100 - 1/500. Immunohistochemistry: 1/50 - 1/100. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.




Image 1.




Image 2.