antibodies.com

# Datasheet for ABIN360616 anti-Adenylate Kinase 5 antibody (N-Term)





#### Overview

Quantity:	0.4 mL
Target:	Adenylate Kinase 5 (AK5)
Binding Specificity:	N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Adenylate Kinase 5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

### Product Details

Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide selected from the N-terminal region of human AK5.
lsotype:	Ig Fraction
Specificity:	This antibody reacts to AK5.
Purification:	Protein G column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS

#### Target Details

Target:	Adenylate Kinase 5 (AK5)	
Abstract:	AK5 Products	
	Order at www.antibodies-online.com   www.antikoerper-online.de   www.anticorps-enligne.fr   www.antibodies-online.cn	

International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN360616 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

Background:	Protein kinases are enzymes that transfer a phosphate group from a phosphate donor,
	generally the g phosphate of ATP, onto an acceptor amino acid in a substrate protein. By this
	basic mechanism, protein kinases mediate most of the signal transduction in eukaryotic cells,
	regulating cellular metabolism, transcription, cell cycle progression, cytoskeletal rearrangement
	and cell movement, apoptosis, and differentiation. With more than 500 gene products, the
	protein kinase family is one of the largest families of proteins in eukaryotes. The family has
	been classified in 8 major groups based on sequence comparison of their tyrosine (PTK) or
	serine/threonine (STK) kinase catalytic domains. The AGC kinase group consists of 63 kinases
	including the cyclic nucleotide-regulated protein kinase (PKA & PKG) family, the diacylglycerol-
	activated/phospholipid-dependent protein kinase C (PKC) family, the related to PKA and PKC
	(RAC/Akt) protein kinase family, the kinases that phosphorylate G protein-coupled receptors
	family (ARK), and the kinases that phosphorylate ribosomal protein S6 family (RSK).Synonyms:
	ATP-AMP transphosphorylase 5
Gene ID:	26289, 9606
UniProt:	Q9Y6K8
Pathways:	Nucleotide Phosphorylation, Ribonucleoside Biosynthetic Process

## Application Details

Application Notes:	ELISA: 1/1,000. Western blotting: 1/100 - 1/500. Immunohistochemistry: 1/50 - 1/100.
	Other applications not tested.
	Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN360616 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

### Handling

Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at-20 °C for longer.

### Images




Image 1.




Image 2.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN360616 | 09/12/2023 | Copyright antibodies-online. All rights reserved.