

Datasheet for ABIN360673  
**anti-TRIB3 antibody (N-Term)**



[Go to Product page](#)

2 Images

## Overview

Quantity:	0.4 mL
Target:	TRIB3
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIB3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

## Product Details

Immunogen:	KLH conjugated synthetic peptide selected from the N-terminal region of human NPK
Isotype:	Ig Fraction
Specificity:	This antibody reacts to NPK.
Purification:	Affinity chromatography on Protein G

## Target Details

Target:	TRIB3
Alternative Name:	TRIB3 ( <a href="#">TRIB3 Products</a> )
Background:	NPK is a putative protein kinase that is induced by the transcription factor NF-kappaB. The

## Target Details

---

encoded protein is a negative regulator of NF-kappaB and can also sensitize cells to TNF- and TRAIL-induced apoptosis. In addition, this protein can negatively regulate the cell survival serine-threonine kinase AKT1. Synonyms: NIPK, SKIP3, TRB-3, TRB3, Tribbles homolog 3

Gene ID: 57761, 9606

UniProt: [Q96RU7](#)

Pathways: [Fc-epsilon Receptor Signaling Pathway](#), [EGFR Signaling Pathway](#), [Neurotrophin Signaling Pathway](#), [Regulation of Lipid Metabolism by PPARalpha](#)

## Application Details

---

Application Notes: ELISA: 1/1,000. Western blotting: 1/100 - 1/500. Immunohistochemistry: 1/50 - 1/100.  
Other applications not tested.  
Optimal dilutions are dependent on conditions and should be determined by the user.

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: 0.25 mg/mL

Buffer: PBS with 0.09 % (W/V) sodium azide

Preservative: Sodium azide

Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freezing and thawing.

Storage: 4 °C/-20 °C

Storage Comment: Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.




Image 1.




Image 2.