antibodies - online.com





anti-ZNF292 antibody

Images



Overview

- Overview	
Quantity:	50 μg
Target:	ZNF292
Reactivity:	Human, Dog, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Application:	Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Brand:	IHC-plus™
Immunogen:	KIRRHKKEKEEKKRKKP. Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Dog, Bat (100%), Elephant, Panda, Rabbit, Horse, Pig (94%), Bovine (88%), Opossum, Platypus (82%).
Specificity:	Recognizes human ZNF15 (Zinc Finger Protein 15, ZFP15, Krox-10). Species cross-reactivity: rodent.
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Dog, Bat (100%) Elephant, Panda, Rabbit, Horse, Pig (94%) Bovine (88%) Opossum, Platypus (82%).
Purification:	Immunoaffinity purified
Target Details	
Target:	ZNF292
Alternative Name:	ZNF292 (ZNF292 Products)

Target Details

Background:	Name/Gene ID: ZNF292 Family: Zinc Finger
	Synonyms: ZNF292, 16 zinc-finger domain protein, BA393I2.3, KIAA0530, ZN-16, Zn-15, ZFP292, Zinc finger protein 292, Nbla00365
Gene ID:	23036
UniProt:	060281

Application Details

Application Notes:

Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry
on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced
antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were
incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin
and chromogen. The stained slides were evaluated by a pathologist to confirm staining
specificity. The optimal working concentration for this antibody was determined to be 10 $\boldsymbol{\mu}$

Approved: IHC, IHC-P (10 µg/mL)


Comment: Target Species of Antibody: Human

g/mL.

Restrictions: For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.02 % sodium azide, 40 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Short term: 4°C Long term: Add glycerol (40-50%) -20°C.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Small Intestine (formalin-fixed, paraffinembedded) stained with ZNF292 antibody ABIN364490 at 10 ug/ml followed by biotinylated goat anti-rabbit lgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Human Kidney (formalin-fixed, paraffinembedded) stained with ZNF292 antibody ABIN364490 at 10 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.