





# **Activating Transcription Factor 2 (ATF2) Peptide**

ATF2





#### Overview

Quantity:	100 μg
Target:	ATF2
Origin:	Human, Rat, Cow, Dog
Source:	Synthetic
Application:	Blocking Peptide (BP), Immunogen (Imm)

### **Product Details**

Target:


Sequence:	IVMAPSSQSQ PSGS
Characteristics:	The peptide was used in the production of ABIN369231 - Goat Anti-ATF2 Antibody. It is currently untested in blocking applications.
Target Details	

Application Details	
Application Notes:	When peptides are reconstituted in 200ul water, the concentration would be also 0.5mg/ml. To
	start, the best ratio would be 1:1 (which means molar excess of peptides relative to antibodies
	when identical volumes are mixed). Please mix equal volumes of peptide and antibody at the
	required dilution and leave at ambient temperature. Best is to have two identical blots, to be
	incubated with equal amount of antibodies, but one with the antibodies pre-adsorbed to the
	peptide for 20min. Then incubate and develop in parallel the two blots.
Restrictions:	For Research Use only

# Handling

Format:	Lyophilized
Reconstitution:	Reconstitute pellet in distilled water where required. For Blocking studies, reconstitute pellet in 200µl distilled water to obtain a 0.5mg/ml peptide solution.
Buffer:	100μg of Lyophilised peptide, formulation De-ionized (DI) water.
Storage:	-20 °C
Storage Comment:	Shipped at ambient temperature, store at -20°C.

## **Images**



# **Western Blotting**

Image 1.

## **Western Blotting**

Image 2.