

Datasheet for ABIN369933

Myotubularin 1 (MTM1) Peptide





Go to Product page

	ve	rvi	0	W
\circ	v C	1 V I	\sim	v v

Restrictions:

Quantity:	100 μg	
Target:	MTM1	
Origin:	Human, Mouse, Cow, Dog	
Source:	Synthetic	
Application:	Blocking Peptide (BP), Immunogen (Imm)	
Product Details		
Sequence:	SSPSQMMPHV QTHF	
Characteristics:	The peptide was used in the production of ABIN369933 - Goat Anti-MTM1 Antibody. It is currently untested in blocking applications.	
Target Details		
Target:	MTM1	
Application Details		
Application Notes:	When peptides are reconstituted in 200ul water, the concentration would be also 0.5mg/ml. To start, the best ratio would be 1:1 (which means molar excess of peptides relative to antibodies when identical volumes are mixed). Please mix equal volumes of peptide and antibody at the required dilution and leave at ambient temperature. Best is to have two identical blots, to be incubated with equal amount of antibodies, but one with the antibodies pre-adsorbed to the peptide for 20min. Then incubate and develop in parallel the two blots.	


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 1/2 | Product datasheet for ABIN369933 | 06/20/2025 | Copyright antibodies-online. All rights reserved.

For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Reconstitute pellet in distilled water where required. For Blocking studies, reconstitute pellet in 200µl distilled water to obtain a 0.5mg/ml peptide solution.
Buffer:	100μg of Lyophilised peptide, formulation De-ionized (DI) water.
Storage:	-20 °C
Storage Comment: Shipped at ambient temperature, store at -20°C.	

Images



Western Blotting

Image 1.