

Datasheet for ABIN375396 anti-CD31 antibody (APC)

1 Image



Go to Product page

Overview

Quantity:	0.1 mg
Target:	CD31 (PECAM1)
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This CD31 antibody is conjugated to APC
Application:	Flow Cytometry (FACS)


Product Details

Immunogen:	C3H/HeJ mouse hematopoietic progenitor cell line 32D
Clone:	390
Isotype:	lgG2a
Specificity:	Mouse CD31, Mr 130-140 kDa
Characteristics:	Rat Anti-Mouse CD31-APC
Purification:	Purified

Target Details

Target:	CD31 (PECAM1)
Alternative Name:	CD31 (PECAM1 Products)
Background:	CD31, also known as platelet endothelial cell adhesion molecule-1 (PECAM-1), is a type I

	integral membrane glycoprotein and a member of the immunoglobulin superfamily of cell
	surface receptors. It is constitutively expressed on the surface of endothelial cells, and
	concentrated at the junction between them. It is also weakly expressed on many peripheral
	lymphoid cells and paltelets. CD31 interacts homotypically in cell adhesion assays.
Pathways:	Regulation of Actin Filament Polymerization
Application Details	
Application Notes:	Applications: FC - Quality tested , IHC-FS - Reported in literature , ICC - Reported in literature
	IP - Reported in literature , Block - Reported in literature
	Working Dilutions: Flow Cytometry Purified (UNLB) antibody 1 g/106 cells FITC, BIOT, DAGRALL LASCAS AND DE AND DE COVER LASCAS AND DE CO
	PACBLU, and AF488 conjugates 1 g/106 cells PE, APC, PE/CY7 and AF647 conjugates 0.2 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of
	100 L
Comment:	Blocking of cell adhesion
Sample Volume:	1 mL
Restrictions:	For Research Use only
Handling	
Concentration:	0.1 mg/mL
Buffer:	0.1 mg in 1.0 mL of PBS/Sodium azide and a stabilizing agent
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Do not freeze!
	Protect conjugated products from light.
	Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C



Flow Cytometry

Image 1. BALB/c mouse splenocytes were stained with Rat Anti-Mouse CD31-APC.