antibodies -online.com







anti-LY-49I (LY-49I) antibody





\sim			
	$ \backslash / \cap$	r\/I	$\triangle V$

Quantity:	0.5 mg
Target:	LY-49I
Reactivity:	Mouse
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	Un-conjugated
Application:	Flow Cytometry (FACS)

Product Details

Immunogen:	CHO-K1 cells transfected with B6 allele of Ly49I gene
Clone:	YLI-90
Isotype:	IgG1
Specificity:	Mouse Ly-49I
Characteristics:	Mouse Anti-Mouse Ly-49I-UNLB
Purification:	Purified


Target Details

Target:	LY-49I
Alternative Name:	Ly-49I (LY-49I Products)

Application Details

Application Notes:	 Applications: FC - Quality tested Working Dilutions: Flow Cytometry Purified (UNLB) antibody 1 g/106 cells FITC and BIOT conjugates 1 g/106 cells PE conjugate 0.2 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L
Sample Volume:	1 mL
Restrictions:	For Research Use only
Handling	
Concentration:	0.5 mg/mL
Concentration: Buffer:	0.5 mg/mL 0.5 mg of purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added
	0.5 mg of purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives
Buffer:	0.5 mg of purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added
Buffer: Preservative:	0.5 mg of purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added Without preservative

Images



Flow Cytometry

Image 1. C57BL/6 mouse splenocytes were stained with Mouse Anti-Mouse Ly-49I-PE.