antibodies .- online.com



Datasheet for ABIN375766

Goat anti-Mouse IgG (Heavy & Light Chain) Antibody (APC) - Preadsorbed



Go to Product page

1	Image
	<u> </u>

2

Publications

Overview Quantity:

0.5 mg

Target:

IgG

Binding Specificity:

Heavy & Light Chain

Reactivity:

Mouse

Host:

Goat

Clonality:

Polyclonal

Conjugate:

APC

Application:

ELISA, Flow Cytometry (FACS)

Product Details

Isotype:

IaG

Specificity:

Reacts with the heavy and light chains of mouse IgG1, IgG2a, IgG2b, IgG2c, and IgG3 and with

the light chains of mouse IgM and IgA

Characteristics:

Goat Anti-Mouse IgG(H+L), Human ads-APC

Purification:

Purification Method: Affinity chromatography on mouse IgG covalently linked to agarose.

Preadsorption: Human Adsorbed

Target Details

Target:

lgG

Abstract:


IgG Products

Target Details	
Target Type:	Antibody
Application Details	
Application Notes:	 Applications: Quality tested applications include - ELISA , FLISA , FC , Other referenced applications include - ELISPOT , IHC-FS , IHC-PS , ICC , WB Working Dilutions: ELISA AP conjugate 1:2,000 - 1:4,000 HRP conjugate 1:4,000 - 1:8,000 BIOT conjugate 1:5,000 - 1:20,000 FLISA FITC, TRITC, TXRD, AF488, and AF555 conjugates 1:100 - 1:400 PE, APC, CY5, and AF647 conjugates 1 g/mL Flow Cytometry FITC, BIOT, and AF488 conjugates 1 g/106 cells PE, APC, CY5, and AF647 conjugates 0.1 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L
Comment:	Excitation/Emission wavelength: 650 nm/660 nm
Restrictions:	For Research Use only
Handling	
Concentration:	0.5 mg/mL
Buffer:	0.5 mg in 1.0 mL or 0.25 mg in 0.5 mL of PBS/Sodium azide and a stabilizing agent
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Do not freeze!
	Protect conjugated products from light.
	Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C
Publications	
Donal at alterdise	Annual de Minney Transmilli Annual de

Amsen, de Visser, Town: "Approaches to determine expression of inflammatory cytokines." in:

Methods in molecular biology (Clifton, N.J.), Vol. 511, pp. 107-42, (2009) (PubMed).

Product cited in:



Flow Cytometry

Image 1. Human peripheral blood lymphocytes were stained with Mouse Anti-Human CD3-UNLB followed by Goat Anti-Mouse IgG(H+L), Human ads-APC.