



[Go to Product page](#)

Datasheet for ABIN375831

## Mouse IgG1 isotype control (APC-Cy5.5)

1 Image

1 Publication

### Overview

Quantity:	100 tests
Target:	IgG1
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	APC-Cy5.5
Application:	Flow Cytometry (FACS), ELISA

### Product Details

Clone:	15H6
Isotype:	IgG1
Specificity:	T-2 mycotoxin
Characteristics:	Mouse IgG1-APC/CY5.5
Purification:	Purified

### Target Details

Target:	IgG1
Abstract:	<a href="#">IgG1 Products</a>
Target Type:	Antibody

## Application Details

---

Application Notes:

- **Applications:** FC - Quality tested , ELISA - Quality tested , FLISA - Quality tested IHC-FS - Reported in literature , IHC-PS - Reported in literature , ICC - Reported in literature , WB - Reported in literature , Block - Reported in literature , In vitro control - Reported in literature , In vivo control - Reported in literature , Multiplex - Reported in literature
- **Working Dilutions:** Flow Cytometry Purified (UNLB) antibody 1 g/106 cells BIOT conjugate 1 g/106 cells FITC, PE, PE/TXRD, APC, SPRD, CY5, PE/CY5.5, PE/CY7, 10 L/106 cells APC/CY5.5, APC/CY7, PACBLU, AF488, AF647, and AF700 conjugates For flow cytometry, the suggested use of these reagents is in a final volume of 100 L ELISA Purified (UNLB) antibody 1 - 5 g/mL AP and HRP conjugates 1:2,000 - 1:4,000

---

Comment: Excitation / Emission wavelength: 650 nm / 695 nm

---

Restrictions: For Research Use only

## Handling

---

Buffer: 100 tests in 1.0 mL of PBS/Sodium azide and a stabilizing agent

---

Preservative: Sodium azide

---

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Handling Advice: **Do not freeze!**  
**Protect conjugated products from light.**  
Each reagent is stable for the period shown on the bottle label if stored as directed.

---

Storage: 4 °C


---

Storage Comment: Store at 2-8°C

## Publications

---

Product cited in: Amsen, de Visser, Town: "Approaches to determine expression of inflammatory cytokines." in: **Methods in molecular biology (Clifton, N.J.)**, Vol. 511, pp. 107-42, (2009) ([PubMed](#)).



### Immunofluorescence

**Image 1.** Frozen newborn mouse cartilage section was stained with Mouse IgG1-UNLB isotype control and DAPI.