

Datasheet for ABIN375976

Goat anti-Rabbit Ig (Heavy & Light Chain) Antibody (Biotin)





Go to Product page

Overview	
Quantity:	1 mg
Target:	lg
Binding Specificity:	Heavy & Light Chain
Reactivity:	Rabbit
Host:	Goat
Clonality:	Polyclonal
Conjugate:	Biotin
Application:	ELISA, Flow Cytometry (FACS), Immunohistochemistry (IHC), Western Blotting (WB)
Product Details	
Isotype:	IgG
	IgG Reacts with the heavy and light chains of rabbit IgM and IgG, and with the light chains of rabbit IgA as demonstrated by ELISA and flow cytometry.
Isotype:	Reacts with the heavy and light chains of rabbit IgM and IgG, and with the light chains of rabbit
Isotype: Specificity:	Reacts with the heavy and light chains of rabbit IgM and IgG, and with the light chains of rabbit IgA as demonstrated by ELISA and flow cytometry.
Isotype: Specificity:	Reacts with the heavy and light chains of rabbit IgM and IgG, and with the light chains of rabbit IgA as demonstrated by ELISA and flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rabbit IgM and IgG.
Isotype: Specificity:	Reacts with the heavy and light chains of rabbit IgM and IgG, and with the light chains of rabbit IgA as demonstrated by ELISA and flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rabbit IgM and IgG. To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow
Isotype: Specificity: Characteristics:	Reacts with the heavy and light chains of rabbit IgM and IgG, and with the light chains of rabbit IgA as demonstrated by ELISA and flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rabbit IgM and IgG. To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow cytometry for conformance to characteristics of a standard reference reagent.
Isotype: Specificity: Characteristics: Purification:	Reacts with the heavy and light chains of rabbit IgM and IgG, and with the light chains of rabbit IgA as demonstrated by ELISA and flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rabbit IgM and IgG. To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow cytometry for conformance to characteristics of a standard reference reagent.

Application Details

Application Notes: Each laboratory should determine an optimum working titer for use in its particular application.

Other applications have not been tested but use in such assays should not necessarily be

excluded.


Restrictions: For Research Use only

Handling

Handling Advice: Avoid cycles of freezing and thawing.

Storage: 4 °C

Images



ELISA

Image 1. ELISA plate was coated with purified rabbit IgG and IgM and human IgG, IgM, and IgA. Immunoglobulins were detected with serially diluted Goat Anti-Rabbit Ig, Human ads-BIOT.