



[Go to Product page](#)

Datasheet for ABIN376106

Goat anti-Mouse IgG2b (Heavy Chain) Antibody (FITC)

1 Image

1 Publication

Overview

Quantity:	1 mg
Target:	IgG2b
Binding Specificity:	Heavy Chain
Reactivity:	Mouse
Host:	Goat
Clonality:	Polyclonal
Conjugate:	FITC
Application:	ELISA, Immunohistochemistry (IHC), Flow Cytometry (FACS)

Product Details

Isotype:	IgG
Specificity:	Reacts with the heavy chain of mouse IgG 2b as demonstrated by ELISA and flow cytometry.
Characteristics:	Source: Pooled antisera from goats hyperimmunized with mouse IgG 2b paraproteins. To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow cytometry for conformance to characteristics of a standard reference reagent.
Purification:	Affinity chromatography on mouse IgG 3 covalently linked to agarose.

Target Details

Target:	IgG2b
Abstract:	IgG2b Products

Target Details

Target Type: Antibody

Application Details

Application Notes: Working Dilution:
<= 1 µg/10⁶ cells
Representative data are included in this product insert.

Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded.

Comment: Excitation/Emission wavelength: 494 nm/514 nm

Restrictions: For Research Use only


Handling

Handling Advice: **Protect conjugated products from light.**
Each reagent is stable for the period shown on the bottle label if stored as directed.

Storage: 4 °C

Publications

Product cited in: van Dop, Heijmans, Büller, Snoek, Rosekrans, Wassenberg, van den Bergh Weerman, Lanske, Clarke, Winton, Wijgerde, Offerhaus, Hommes, Hardwick, de Jonge, Biemond, van den Brink: "Loss of Indian Hedgehog activates multiple aspects of a wound healing response in the mouse intestine." in: **Gastroenterology**, Vol. 139, Issue 5, pp. 1665-76, 1676.e1-10, (2010) ([PubMed](#)).



ELISA

Image 1. FLISA plate was coated with purified mouse IgG1, IgG2a, IgG2b, IgG3, IgM, and IgA. Immunoglobulins were detected with serially diluted Goat Anti-Mouse IgG2b, Human ads-FITC.