

## Datasheet for ABIN376517

# Goat anti-Human Immunoglobulin kappa Chain Complex (Igk) (Chain kappa) Antibody (PE) - Preadsorbed



Go to Product pag

# 1 Image

Overview	
Quantity:	0.25 mg
Target:	lgk
Binding Specificity:	Chain kappa
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	PE
Application:	Flow Cytometry (FACS), ELISA
Product Details	
Isotype:	IgG
Fragment:	F(ab')2 fragment
Specificity:	Reacts with human light chains
Cross-Reactivity (Details):	Cross Absorption: Human IgM, IgD and IgA, pooled mouse sera and mouse immunoglobulins.
Characteristics:	Goat F(ab')2 Anti-Human Kappa, Mouse ads-PE
Purification:	Preadsorption: Mouse adsorbed
Target Details	
Target:	lgk
Alternative Name:	Kappa (Igk Products)


### **Application Details**

Application Details	
Application Notes:	<ul> <li>Applications: Quality tested applications include - ELISA, FLISA FC,</li> <li>Other referenced applications include - ELISPOT, Stim</li> <li>Working Dilutions: ELISA AP conjugate 1:2,000 - 1:4,000 BIOT conjugate 1:5,000 - 1:20,000 FLISA FITC conjugate 1:200 - 1:400 PE conjugate 1 g/mL Flow Cytometry FITC and BIOT conjugates 1 g/106 cells PE conjugate 0.1 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L</li> </ul>
Comment:	B cell enumeration
Sample Volume:	1 mL
Restrictions:	For Research Use only
Handling	
Buffer:	0.25 mg in 1.0 mL of PBS/Sodium azide and a stabilizing agent
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Do not freeze!  Protect conjugated products from light.  Each reagent is stable for the period shown on the bottle label if stored as directed.

#### **Images**

Storage:

Storage Comment:



4°C

Store at 2-8°C

#### **ELISA**

**Image 1.** FLISA plate was coated with purified human IgG $\kappa$ , IgM $\kappa$ , IgA $\kappa$ , IgG $\lambda$ , IgM $\lambda$ , and IgA $\lambda$ . Immunoglobulins were detected with serially diluted Goat F(ab')2 Anti-Human Kappa, Mouse ads-PE.