

Datasheet for ABIN376582

anti-DPP4 antibody (PE)





Overview

Quantity:	100 tests
Target:	DPP4
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This DPP4 antibody is conjugated to PE
Application:	Flow Cytometry (FACS)

Product Details


Immunogen:	CD3 activated human peripheral blood mononuclear cells
Clone:	134-2C2
Isotype:	IgM
Specificity:	Human CD26, Mr 110 kDa
Characteristics:	Mouse Anti-Human CD26-PE
Purification:	Purified

Target Details

Target:	DPP4
Alternative Name:	CD26 (DPP4 Products)
Background:	CD26, also known as dipeptidyl peptidase (DPPIV), is a 110 kDa type II integral membrane

Target Details

	glycoprotein that is primarily expressed by CD3+ medullary thymocytes and peripheral T cells
	CD26 is serine protease that is also associated with T cell activation and proliferation, cell to
	cell adhesion and HIV infection.
Pathways:	Peptide Hormone Metabolism, Regulation of Leukocyte Mediated Immunity
Application Details	
Application Notes:	 Applications: FC - Quality tested , IP - Reported in literature , Costim - Reported in literature Working Dilutions: Flow Cytometry Purified (UNLB) antibody 1 g/106 cells FITC and PE conjugates 10 L/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L
Comment:	Studies of CD26 mediated T cell Signaling, involvement in HIV infection
Restrictions:	For Research Use only
Handling	
Buffer:	100 tests in 1.0 mL of PBS/Sodium azide and a stabilizing agent
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Do not freeze!
	Protect conjugated products from light.
	Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C



Flow Cytometry

Image 1. Human peripheral blood lymphocytes were stained with Mouse Anti-Human CD26-PE.