## antibodies -online.com







## Mouse IgG3 isotype control (SPRD)

Image

Publication




( )	1 /	-	r٧	/ 1	0	A .
	1//	$\vdash$	1 \/	/ I	_	۱/۱
$\sim$	٧.	$\sim$	1 V		$\overline{}$	V١

Quantity:	100 tests	
Target:	lgG3	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	SPRD	
Application:	Flow Cytometry (FACS), ELISA	
Product Details		
Clone:	B10	
Isotype:	IgG3	
Specificity:	Unknown	
Characteristics:	Mouse IgG3-SPRD	
Purification:	Purified	
Target Details		
Target:	IgG3	
Abstract:	IgG3 Products	
Target Type:	Antibody	

## **Application Details**

Application Notes:	<ul> <li>Applications: FC - Quality tested , ELISA - Quality tested , FLISA - Quality tested ICC - Reported in literature , IP - Reported in literature , In vitro control - Reported in literature</li> <li>Working Dilutions: Flow Cytometry Purified (UNLB) antibody 1 g/106 cells BIOT conjugate 1 g/106 cells FITC, PE, APC, SPRD, CY5, PE/CY5.5, PE/CY7, and AF647 conjugates 10 L/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L ELISA Purified (UNLB) antibody 1 - 5 g/mL AP conjugate 1:2,000 - 1:4,000 HRP conjugate 1:4,000 - 1:8,000</li> </ul>		
Restrictions:	For Research Use only		
Handling			
Buffer:	100 tests in 1.0 mL of PBS/Sodium azide and a stabilizing agent		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which		
	should be handled by trained staff only.		
Handling Advice:	Do not freeze!		
	Protect conjugated products from light.		
	Each reagent is stable for the period shown on the bottle label if stored as directed.		
Storage:	4 °C		
Storage Comment:	Store at 2-8°C		
Publications			
Product cited in:	Bishop, Valle Oseguera, Spencer: "Human Cytomegalovirus interleukin-10 promotes		
Product cited in:	Bishop, Valle Oseguera, Spencer: "Human Cytomegalovirus interleukin-10 promotes proliferation and migration of MCF-7 breast cancer cells." in: Cancer cell & microenvironment		



## **ELISA**

**Image 1.** ELISA plate was coated with serially diluted Mouse IgG3-UNLB and quantified.