

# Datasheet for ABIN376701

# Goat anti-Mouse Ig Antibody (SPRD) - Preadsorbed





Go to Product page

U	٧e	IV	IE	۷۷

Quantity:	0.25 mg
Target:	lg
Reactivity:	Mouse
Host:	Goat
Clonality:	Polyclonal
Conjugate:	SPRD
Application:	ELISA, Flow Cytometry (FACS)

#### **Product Details**

Isotype:	IgG	
Fragment:	F(ab')2 fragment	
Specificity:	Reacts with the heavy and light chains of mouse IgG1, IgG2a, IgG2b, IgG2c, IgG3, IgM, and IgA	
Characteristics:	Goat F(ab')2 Anti-Mouse Ig, Human ads-SPRD	
Purification:	Preadsorption: Human adsorbed	

# **Target Details**

Target:	Ig
Abstract:	Ig Products

### **Application Details**

agA	lication	Notes:

- · Applications: Quality tested applications include ELISA, FLISA FC,
- Other referenced applications include ELISPOT , ICC , WB , Stim
- Working Dilutions: ELISA AP conjugate 1:2,000 1:4,000 HRP conjugate 1:4,000 1:8,000
  BIOT conjugate 1:5,000 1:20,000 FLISA FITC, AF488, and AF555 conjugates 1:100 1:400
  PE, APC, CY5, and AF647 conjugates 1 g/mL Flow Cytometry FITC, BIOT, and AF488
  conjugates 1 g/106 cells PE, APC, SPRD, CY5, PE/CY5.5, and AF647 conjugates 0.1 g/106
  cells PE/TXRD 0.03 g/106 cells For flow cytometry, the suggested use of these reagents is in a final volume of 100 L


Restrictions:

For Research Use only

#### Handling

Buffer:	0.25 mg in 1.0 mL of PBS/Sodium azide and a stabilizing agent	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Do not freeze!	
	Protect conjugated products from light.	
	Each reagent is stable for the period shown on the bottle label if stored as directed.	
Storage:	4 °C	
Storage Comment:	Store at 2-8°C	

#### **Images**



## **Flow Cytometry**

**Image 1.** Human peripheral blood lymphocytes were stained with Mouse Anti-Human CD5-UNLB followed by Goat F(ab')2 Anti-Mouse Ig, Human ads-SPRD.