

Datasheet for ABIN376734
anti-CD56 antibody (SPRD)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 tests
Target:	CD56 (NCAM1)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD56 antibody is conjugated to SPRD
Application:	Flow Cytometry (FACS)

Product Details

Brand:	Spectral Red [™]
Immunogen:	Acute myelogenous leukemia cell line KG-1
Clone:	MEM 188
Isotype:	IgG2a
Specificity:	Human/Porcine CD56, Mr 175-220 kDa
Characteristics:	Mouse Anti-Human CD56-SPRD
Purification:	Purified

Target Details

Target:	CD56 (NCAM1)
Alternative Name:	CD56 (NCAM1 Products)

Target Details

Background:	CD56, an isoform of the neural cell adhesion molecule (NCAM), is a 220 kDa heavily glycosylated type I transmembrane protein. On human hematopoietic cells, its expression is restricted to NK cells and a subpopulation of T lymphocytes (known as large granular lymphocytes) which demonstrate natural killer activity. While it is clear that NCAM plays a role in homotypic adhesion of neuronal cells, the significance of CD56 expression on NK cells is not clear and remains controversial.
-------------	--


Application Details

Application Notes:	• Applications: FC - Quality tested , IHC-FS - Reported in literature , ICC - Reported in literature , Sep - Reported in literature , Block - Reported in literature • Working Dilutions: Flow Cytometry Purified (UNLB) antibody 1 g/106 cells FITC, BIOT, PE, SPRD, PE/CY5.5, PACBLU, AF488, and AF700 10 L/106 cells conjugates For flow cytometry, the suggested use of these reagents is in a final volume of 100 L
--------------------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Buffer:	100 tests in 1.0 mL of PBS/Sodium azide and a stabilizing agent
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Do not freeze! Protect conjugated products from light. Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4 °C
Storage Comment:	Store at 2-8°C



Flow Cytometry

Image 1. Human peripheral blood lymphocytes were stained with Mouse Anti-Human CD56-PE.