antibodies -online.com





Goat anti-Mouse IgG1 (Heavy Chain) Antibody (TRITC)



Image



Publications




Go to Product page

Overview	
Quantity:	1 mg
Target:	lgG1
Binding Specificity:	Heavy Chain
Reactivity:	Mouse
Host:	Goat
Clonality:	Polyclonal
Conjugate:	TRITC
Application:	ELISA, Immunohistochemistry (IHC), Flow Cytometry (FACS)
Product Details	
Isotype:	IgG
Specificity:	Reacts with the heavy chain of mouse IgG 1 as demonstrated by ELISA and flow cytometry.
Characteristics:	Source: Pooled antisera from goats hyperimmunized with mouse IgG 1 paraproteins. To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow cytometry to conform to characteristics of a standard reference reagent.
Purification:	Affinity chromatography on mouse IgG 1 covalently linked to agarose.
Target Details	
Target:	lgG1
Abstract:	IgG1 Products

Target Details Antibody Target Type: **Application Details** Working Dilution: Application Notes: $<= 1 \mu g/10^6$ cells Representative data are included in this product insert. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Restrictions: For Research Use only Handling Handling Advice: Protect conjugated products from light. Each reagent is stable for the period shown on the bottle label if stored as directed. Storage: 4°C **Publications** Product cited in: van Dop, Heijmans, Büller, Snoek, Rosekrans, Wassenberg, van den Bergh Weerman, Lanske, Clarke, Winton, Wijgerde, Offerhaus, Hommes, Hardwick, de Jonge, Biemond, van den Brink: "

Loss of Indian Hedgehog activates multiple aspects of a wound healing response in the mouse

intestine." in: Gastroenterology, Vol. 139, Issue 5, pp. 1665-76, 1676.e1-10, (2010) (PubMed).



ELISA

Image 1. FLISA plate was coated with purified mouse IgG1, IgG2a, IgG2b, IgG3, IgM, and IgA. Immunoglobulins were detected with serially diluted Goat Anti-Mouse IgG1, Human ads-TRITC.