

Datasheet for ABIN376764

Goat anti-Rat Ig (Heavy & Light Chain) Antibody (TRITC)





Go to Product page

Overview	
Quantity:	1 mg
Target:	Ig
Binding Specificity:	Heavy & Light Chain
Reactivity:	Rat
Host:	Goat
Clonality:	Polyclonal
Conjugate:	TRITC
Application:	ELISA, Flow Cytometry (FACS), Immunohistochemistry (IHC)
Product Details	
Isotype:	IgG
Isotype: Specificity:	Reacts with the heavy and light chains of rat IgM and IgG, and with the light chains of rat IgA as demonstrated by ELISA and/or flow cytometry.
	Reacts with the heavy and light chains of rat IgM and IgG, and with the light chains of rat IgA as
Specificity:	Reacts with the heavy and light chains of rat IgM and IgG, and with the light chains of rat IgA as demonstrated by ELISA and/or flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rat IgM and IgG To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow
Specificity: Characteristics:	Reacts with the heavy and light chains of rat IgM and IgG, and with the light chains of rat IgA as demonstrated by ELISA and/or flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rat IgM and IgG To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow cytometry for conformance to characteristics of a standard reference reagent.
Specificity:	Reacts with the heavy and light chains of rat IgM and IgG, and with the light chains of rat IgA as demonstrated by ELISA and/or flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rat IgM and IgG To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow
Specificity: Characteristics:	Reacts with the heavy and light chains of rat IgM and IgG, and with the light chains of rat IgA as demonstrated by ELISA and/or flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rat IgM and IgG To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow cytometry for conformance to characteristics of a standard reference reagent.
Specificity: Characteristics: Purification:	Reacts with the heavy and light chains of rat IgM and IgG, and with the light chains of rat IgA as demonstrated by ELISA and/or flow cytometry. Source: Pooled antisera from goats hyperimmunized with normal rat IgM and IgG To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow cytometry for conformance to characteristics of a standard reference reagent.

Application Details

Application Notes:

Working Dilution:

<= 1 μg/10⁶ cells

Representative data are included in this product insert.

Each laboratory should determine an optimum working titer for use in its particular application.

Other applications have not been tested but use in such assays should not necessarily be

excluded.

Restrictions:

For Research Use only

Handling

Handling Advice:


Protect conjugated products from light.

Each reagent is stable for the period shown on the bottle label if stored as directed.

Storage:

4°C

Images



Flow Cytometry

Image 1. BALB/c mouse splenocytes were stained with Rat Anti-Mouse CD45-UNLB.