

Datasheet for ABIN376909

Goat anti-Human Ig (Chain lambda) Antibody






Overview	
Quantity:	1 mg
Target:	Ig
Binding Specificity:	Chain lambda
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Application:	ELISA, Flow Cytometry (FACS), Immunohistochemistry (IHC), Western Blotting (WB)
Product Details	
Isotype:	IgG
Cross-Reactivity (Details):	Cross Absorption: Pooled human sera, purified human paraproteins, pooled mouse sera, and pooled mouse plasmacytoma/hybridoma proteins
Characteristics:	Source: Pooled antisera from goats hyperimmunized with human myeloma proteins with ? light chains To insure lot-to-lot consistency, each batch of product is tested by ELISA, PCFIA and/or flow cytometry to conform to characteristics of a standard reference reagent.
Purification:	Purified
Target Details	
Target:	Ig
Alternative Name:	Immunoglobulin Ig (Ig Products)

Application Details

Application Notes:	Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded.
Sample Volume:	1 mL
Restrictions:	For Research Use only
Handling	
Buffer:	Product is supplied as 1.0 mg purified immunoglobulin in 1.0 mL of 100 mM borate buffered
	saline, pH 8.2.
Preservative:	Azide free
Handling Advice:	Each reagent is stable for the period shown on the bottle label if stored as directed.
Storage:	4°C

Images



ELISA

Image 1. FLISA plate was coated with purified human IgG κ , IgM κ , IgA κ , IgG λ , IgM λ , and IgA λ . Immunoglobulins were detected with serially diluted Goat Anti-Human Lambda-FITC.