antibodies - online.com







anti-FUBP3 antibody (N-Term)



Image



\sim	
()\/\	rview
\cup	

Alternative Name:

Quantity:	400 μL
Target:	FUBP3
Binding Specificity:	AA 38-67, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FUBP3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This FUBP3 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 38-67 amino acids from the N-terminal region of human FUBP3.
Clone:	RB8364
Isotype:	lg Fraction
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by
	dialysis against PBS.
Target Details	
Target:	FUBP3

FUBP3 (FUBP3 Products)

Target Details

Background:

The far upstream element-binding proteins FUBP, FUBP2, and FUBP3 comprise a family of single-strand DNA-binding proteins that possess all of the general features of more conventional transcription factors. The FUBPs each bind to a single sequence-specific strand of the far upstream element (FUSE, originally identified upstream of c-myc), and each possesses potent activation domains when fused to the GAL4 DNA-binding domain and assayed by transient transfection. These proteins have also been reported to bind RNA and participate in various steps of RNA processing, transport or catabolism.

Molecular Weight:

61640

8939

NCBI Accession:

NP_003925

UniProt:

Gene ID:

Q96I24

Application Details

Application Notes:

WB: 1:1000

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage:

4 °C,-20 °C


Storage Comment:

Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small

aliquots to prevent freeze-thaw cycles.

Expiry Date:

6 months



Western Blotting

Image 1. Western blot analysis of anti-FUBP3 Pab ((ABIN388622 and ABIN2838188)) in HepG2 cell line lysate (35 μ g/lane). FUBP3(arrow) was detected using the purified Pab.