antibodies -online.com





anti-MSTN antibody (N-Term)



Images



Goto	Product	nage
	iioaact	page

Overview	
Quantity:	200 μL
Target:	MSTN
Binding Specificity:	AA 9-38, N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MSTN antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This Myostatin (GDF8) antibody is generated from rabbits immunized with a KLH conjugated
	synthetic peptide between 9-38 amino acids from the N-terminal region of human Myostatin
Clone:	(GDF8). RB1879
Isotype:	IgG
Predicted Reactivity:	B, Hs, Pr, Pig
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	MSTN

Target Details

Alternative Name:	Myostatin (GDF8) (MSTN Products)
Background:	GDF8 is a member of the bone morphogenetic protein (BMP) family and the TGF-beta superfamily. This group of proteins is characterized by a polybasic proteolytic processing site which is cleaved to produce a mature protein containing seven conserved cysteine residues. The members of this family are regulators of cell growth and differentiation in both embryonic and adult tissues. This gene is thought to encode a secreted protein which negatively regulates skeletal muscle growth.
Molecular Weight:	42750
Gene ID:	2660
NCBI Accession:	NP_005250
UniProt:	014793

Application Details


Application Notes:	WB: 1:2000. WB: 1:2000. WB: 1:2000. WB: 1:2000. IHC-P: 1:50
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots.
Expiry Date:	6 months



95 - 72 - 55 - 36 - 28 - -



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin-embedded human skeletal muscle tissue reacted with GDF8 antibody (N-term) (ABIN388821 and ABIN2839139) , which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated.

Western Blotting

Image 2. All lanes: Anti-Myostatin (GDF8) Antibody (N-term) at 1:2000 dilution Lane 1: Hela whole cell lysate Lane 2: K562 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 43 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Western Blotting

Image 3. Anti-Myostatin (GDF8) Antibody (N-term) at 1:2000 dilution + Human heart lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 43 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Please check the product details page for more images. Overall 5 images are available for ABIN388821.