

Datasheet for ABIN388908  
**anti-USP19 antibody (C-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	400 µL
Target:	USP19
Binding Specificity:	AA 1289-1319, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This USP19 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	This USP19 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1289-1319 amino acids from the C-terminal region of human USP19.
Clone:	RB4347
Isotype:	Ig Fraction
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

## Target Details

Target:	USP19
Alternative Name:	USP19 ( <a href="#">USP19 Products</a> )

## Target Details

**Background:** Modification of target proteins by ubiquitin participates in a wide array of biological functions. Proteins destined for degradation or processing via the 26 S proteasome are coupled to multiple copies of ubiquitin. However, attachment of ubiquitin or ubiquitin-related molecules may also result in changes in subcellular distribution or modification of protein activity. An additional level of ubiquitin regulation, deubiquitination, is catalyzed by proteases called deubiquitinating enzymes, which fall into four distinct families. Ubiquitin C-terminal hydrolases, ubiquitin-specific processing proteases (USPs),<sup>1</sup> OTU-domain ubiquitin-aldehyde-binding proteins, and Jab1/Pad1/MPN-domain-containing metallo-enzymes. Among these four families, USPs represent the most widespread and represented deubiquitinating enzymes across evolution. USPs tend to release ubiquitin from a conjugated protein. They display similar catalytic domains containing conserved Cys and His boxes but divergent N-terminal and occasionally C-terminal extensions, which are thought to function in substrate recognition, subcellular localization, and protein-protein interactions.

**Molecular Weight:** 145651

**Gene ID:** 10869

**NCBI Accession:** [NP\\_001186089](#), [NP\\_001186090](#), [NP\\_001186091](#), [NP\\_006668](#)

**UniProt:** [O94966](#)

## Application Details

**Application Notes:** WB: 1:1000

**Restrictions:** For Research Use only

## Handling

**Format:** Liquid

**Buffer:** Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

**Preservative:** Sodium azide

**Precaution of Use:** This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


**Storage:** 4 °C, -20 °C

**Storage Comment:** Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.

Handling

Expiry Date: 6 months

Images



Western Blotting

**Image 1.** Western blot analysis of hUSP19- (ABIN388908 and ABIN2839191) in Jurkat cell line lysates (35 µg/lane). USP19 (arrow) was detected using the purified Pab.